




# NOTE:

1. OD- OUTER DIAMETER OF SEWER PIPE
2. SFRC MANHOLE FRAME & COVER OF HEAVY DUTY AS PER I.S 12592 (PART & II)
3. 250 THICKNESS OF CONCRETE CAN BE VARIED TO FLUSH MANHOLE COVER AND FRAME WITH ROAD SURFACE
4. THE DEPTH FROM GROUND LEVEL TO LOWEST SEWER INVERT LEVEL IN MANHOLE
5. MANHOLE CONSTRUCTION & SAFETY MEASUREMENT AS PER IS 4111(PART I)
6. MANHOLE TYPE SHALL BE CONSTRUCTED BY SINKING METHOD WHERE WATER TABLE IS HIGH & AS DIRECTED BY ENGINEER
7. THE P.C.C OF 150 THK. PROJECTED IS REQUIRED FOR FOOT STEPS AND PROPER COMPACTION OF SOIL IS TO MADE BELOW THE P.C.C.



## PRECAST MANHOLE

### GENERAL NOTES:

- (1) This drawing is the property of Mahindra Consulting Engineers Ltd.(MACE) Chennai India and must not be passed on to any body not authorized by MACE neither to receive it nor to be copied or otherwise made use of either in full or in part by such person or body without the prior permission in writing. This drawing cannot be handed over to a third party or used for any purpose, other than that for which it has been intended.
- (2) Do not scale from the drawing.
- (3) All dimensions are in millimeters and levels are meters unless noted otherwise. All dimensions to be verified on site & approved by the engineer.

Good for construction

GFC	Good for construction	27.10.2017
Rev	Description	Date
CLIENT :		
<b>Mahindra WORLD CITY</b> Jaipur Mahindra World City Jaipur limited.		
PROJECT CONSULTANT :		
<b>Mahindra</b> Consulting Engineers		
TEL:044-28542325,28542326 FAX:044-28542324 e-mail:mace@mahindra.com Website:www.mahindramace.com		
Mahindra Towers, Ground Floor, No.17/18, Pattullous Road, Chennai-600 002.		
PROJECT TITLE :		
Mahindra World City - Jaipur		
DTA - II		
DWG. TITLE :		
Precast manhole details - Phase I		
Scale:	Size:	Date:
NTS	A2	27.10.2017
Job No.:	Drawing No.:	Rev:
MACE-P946	MACE-P946-S-002	GFC