



| Manhole no | | Length in m | Dia of Pipe in mm | Slope 1 in | Top level in m | | Invert Level in m | | Invert Depth in m | | Pipe Material |
|------------|----------|-------------|-------------------|------------|----------------|---------|-------------------|---------|-------------------|------|---------------|
| From | To | | | | From | To | From | To | From | To | |
| MH 97 A | MH 97 B | 30.00 | 150 | 650.0000 | 363.793 | 363.793 | 363.043 | 362.997 | 0.75 | 0.80 | uPVC |
| MH 97 B | MH 97 C | 30.00 | 150 | 650.0000 | 363.793 | 363.731 | 362.997 | 362.951 | 0.80 | 0.78 | uPVC |
| MH 97 C | MH 97 D | 30.00 | 150 | 650.0000 | 363.731 | 363.622 | 362.951 | 362.905 | 0.78 | 0.72 | uPVC |
| MH 97 D | MH 97 E | 30.00 | 150 | 650.0000 | 363.622 | 363.568 | 362.905 | 362.858 | 0.72 | 0.71 | uPVC |
| MH 97 E | MH 97 F1 | 30.00 | 150 | 650.0000 | 363.568 | 363.460 | 362.858 | 362.812 | 0.71 | 0.65 | uPVC |
| MH 97 F1 | MH 97 F | 24.90 | 150 | 650.0000 | 363.460 | 363.647 | 362.812 | 362.774 | 0.65 | 0.87 | uPVC |
| MH 97 F | MH 97 G | 18.10 | 150 | 650.0000 | 363.647 | 363.406 | 362.774 | 362.746 | 0.87 | 0.66 | uPVC |
| MH 97 G | MH 97 H | 19.00 | 150 | 650.0000 | 363.406 | 363.325 | 362.746 | 362.717 | 0.66 | 0.61 | uPVC |
| MH 97 H | MH 97 I | 18.30 | 150 | 650.0000 | 363.325 | 363.499 | 362.717 | 362.689 | 0.61 | 0.81 | uPVC |
| MH 97 I | MH 97 J | 30.00 | 150 | 650.0000 | 363.499 | 363.617 | 362.689 | 362.643 | 0.81 | 0.97 | uPVC |
| MH 97 J | MH 97 K | 30.00 | 150 | 650.0000 | 363.617 | 363.852 | 362.643 | 362.596 | 0.97 | 1.26 | uPVC |
| MH 97 K | MH 97 L | 30.00 | 150 | 650.0000 | 363.852 | 363.978 | 362.596 | 362.550 | 1.26 | 1.43 | uPVC |
| MH 97 L | MH 97 M | 30.00 | 150 | 650.0000 | 363.978 | 363.206 | 362.550 | 362.504 | 1.43 | 0.70 | uPVC |
| MH 97 M | MH 97 N | 30.00 | 150 | 650.0000 | 363.206 | 364.334 | 362.504 | 362.458 | 0.70 | 1.88 | uPVC |
| MH 97 N | MH 97 O | 30.00 | 150 | 650.0000 | 364.334 | 364.559 | 362.458 | 362.412 | 1.88 | 2.15 | uPVC |
| MH 97 O | MH 97 P | 30.00 | 150 | 650.0000 | 364.559 | 364.733 | 362.412 | 362.366 | 2.15 | 2.37 | uPVC |
| MH 97 P | MH 97 | 16.90 | 150 | 650.0000 | 364.733 | 364.565 | 362.366 | 362.340 | 2.37 | 2.23 | uPVC |



- LEGEND:
- Internal sewer Pipe
 - 150 mm Ø Sewer main RCC pipe
 - Inspection chamber
 - Manhole
 - Manhole with Flushing tank

PLAN
SCALE 1:1000

| NOTES : | | REFERENCE DRAWINGS : | | CLIENT : | | PROJECT : | |
|---------|------|----------------------|------|--|--|--|----|
| 1 | XXXX | 1 | XXXX | Mahindra WORLD CITY 411, Neelkant Towers 1 Bhawani Singh Road, C-Scheme, Jaipur, Rajasthan - 302 001 | | SEWER LINE FOR AMAZON & PODAR SCHOOL IN DTA-II & SOCIAL INFRA WORKS AT MAHINDRA WORLD CITY JAIPUR | |
| | | | | | | | |
| | | | | CONSULTANT : | | DRG.TITLE : SEWER LINE AND MANHOLE WITH FLUSH TANK DRAWING | |
| | | | | DISCLAIMER : THIS DRAWING IS THE PROPERTY OF FRISCHMANN PRABHU AND SHALL BE USED ONLY FOR THE JOB MENTIONED IN THIS DRAWING. IT SHALL NOT BE PUBLISHED, LENT, COPIED OR USED DIRECTLY OR INDIRECTLY, AND FULLY OR PARTLY FOR ANY OTHER PURPOSE WITHOUT THE WRITTEN PERMISSION OF / FROM FRISCHMANN PRABHU. | | SCALE : 1 : XXXX @ A1 | |
| | | | | | | 1ST ISSUED ON : XX/XX/XXXX | |
| | | | | REV. DATE DESCRIPTION DRAWN CHK. APP. | | DU181022 | XX |
| | | | | REVISION INDEX | | XX | XX |